

Exercise 6 Stochastic Models of Manufacturing Systems 4T400, 2 June

1. A pick-and-place machine is mounting electronic components on printed circuit boards. The time (in hours) till failure of the pick-and-place machine is described by a random variable  $X$  with density  $f(x) = cxe^{-\frac{1}{2}x}$  for  $x > 0$ .

- (a) Calculate the constant  $c$ .
- (b) What is the probability that the time to failure of the pick-and-place machine is more than 4 hours?
- (c) Calculate the expected time to failure.

**Note:** The primitives of the functions  $xe^{ax}$  and  $x^2e^{ax}$  are given by

$$\int xe^{ax} dx = \left(\frac{1}{a}x - \frac{1}{a^2}\right) e^{ax}, \quad \int x^2e^{ax} dx = \left(\frac{1}{a}x^2 - \frac{2}{a^2}x + \frac{2}{a^3}\right) e^{ax}.$$

2. Packets arrive at a network interface according to a Poisson stream with a rate of  $\frac{1}{8}$  packets per time unit. Two types of packets can be distinguished: short packets, which are acknowledgements and they constitute 40% of the incoming packets, and long data packets. The time to transmit a short packet is exactly 1 time unit, to transmit a long one takes exactly 10 time units. Packets are transmitted in order of arrival.

- (a) What is the mean waiting time of an arbitrary packet?
- (b) Short packets are given priority over long data packets. Transmission of packets may not be interrupted. Determine the mean waiting time of a high-priority short packet and a low-priority long one.

3. Jobs arrive at a machine according to a Poisson process with a rate of 24 jobs per hour. The processing time is uniform on  $[1, 3]$  minutes. Jobs are processed in order of arrival.

- (a) Determine the mean flow time of an arbitrary job.
- (b) Small jobs (with a processing time less than 2 minutes) are processed with priority over big jobs (with a processing time greater than 2 minutes). Jobs in process at the machine can not be interrupted. Determine the mean flow time of a small job, big job and an arbitrary job.

4. Jobs arrive at a machine according to a Poisson process with a rate of  $\lambda$  jobs per hour. The machine processes the jobs at an exponential rate of  $\mu$  jobs per hour ( $\mu > \lambda$ ). Whenever the number of jobs exceeds  $K$ , an extra identical machine is immediately turned on and starts processing, and when the number of jobs gets down to  $K$  again, the one just finishing a job, is turned off.

- (a) Let  $p_n$  denote the probability of  $n$  jobs in the system. Show that

$$p_n = \begin{cases} p_0 \rho^n, & n = 0, \dots, K, \\ p_0 \rho^K \left(\frac{\rho}{2}\right)^{n-K}, & n = K, K+1, \dots \end{cases}$$

where  $\rho = \frac{\lambda}{\mu}$  and

$$\frac{1}{p_0} = 1 + \rho + \dots + \rho^{K-1} + \frac{\rho^K}{1 - \frac{\rho}{2}}.$$

- (b) Let  $L$  denote the number in the system (so  $P(L = n) = p_n$ ). Show that

$$E(L) = p_0 \left( \rho + 2\rho^2 + \dots + (K-1)\rho^{K-1} + \rho^K \left[ \frac{K}{1 - \frac{\rho}{2}} + \frac{\frac{\rho}{2}}{(1 - \frac{\rho}{2})^2} \right] \right).$$

- (c) Suppose  $\lambda = 3$  and  $\mu = 3\frac{1}{3}$ . Compute the mean flow time  $E(S)$  in case the second machine is never used (so  $K = \infty$ ), and compute (the reduction of) the mean flow time  $E(S)$  for  $K = 10$ .
- (d) Compute the rate (average number of times per hour) at which an extra machine is turned on, for  $K = 10$ .
5. Consider a job shop consisting of 3 workstations. Workstation  $i$  has a single exponential machine processing at rate  $\mu_i$ ,  $i = 1, 2, 3$ . Three types of jobs arrive at the job shop. Type 1 jobs have to visit workstation 1, 2 and 3 (in that order), type 2 jobs have to visit workstation 1 and 3, and type 3 jobs have to visit workstation 2 and 3. Type  $i$  jobs arrive according to a Poisson stream with rate  $\lambda_i$ ,  $i = 1, 2, 3$ .
- (a) What is the total arrival rate at each of the workstations, and what are the conditions under which the job shop is stable?
- (b) Assume the job shop is stable. Calculate the probability  $p(n_1, n_2, n_3)$  of  $n_1$  jobs in workstation 1,  $n_2$  in workstation 2 and  $n_3$  in workstation 3.
- (c) Suppose  $\lambda_1 = 2$ ,  $\lambda_2 = 1$  and  $\lambda_3 = 3$ . Further,  $\mu_1 = 4$ ,  $\mu_2 = 6$  and  $\mu_3 = 7$ . Calculate the total number in the system and the mean total flow time for type 1, 2 and 3 jobs.
- (d) Suppose an additional (identical) machine can be added to one of the workstations. Where would you add a machine to get the greatest reduction of the total number in the system?