

Arrays – continued

Kees Huizing
September 2009

Multi-dimensional arrays

- to model grids, matrices, screens, tables, etc.
- example: student scores
 - student nr. i has scored an s for course nr. c

| course → student ↓ | 0 | 1 | 2 | 3 |
|-----------------------|------|-----|------|-----|
| 0 | good | avg | good | NV |
| 1 | avg | avg | bad | exc |
| 2 | avg | avg | avg | avg |

| course → | 0 | 1 | 2 | 3 |
|-------------|------|-----|------|-----|
| 0 | good | avg | good | NV |
| 1 | avg | avg | bad | exc |
| 2 | avg | avg | avg | avg |

```
String[][] table;
```

```
table = new String[4][3];
```

```
table[0][0] = "good";
table[1][3] = "exc";
for (int c=0; c < table.length; c++) {
    table[2][c] = "avg";
}
for (int r=0; r < table[1].length; r++) {
    table[r][1] = "avg";
}
//etc.
```

```
//print table
for (int r=0; r < table.length; r++) {
    for (int c=0; c < table[r].length; c++) {
        System.out.print( table[r][c] );
    }
    System.out.println();
}
```

2-dim array is an array of arrays

Two-dimensional arrays

- conventions
 - pixels, geometry, etc.: first index is x-coordinate, second is y-coordinate
 - matrices: first index is row, second is column
 - different :-)
- it doesn't matter what you choose, as long as it is consistent

Ragged arrays

- what does this produce?

0

10 11

20 21 22

30 31 32

40 41 42 43


```
//declaration
int[][] triangle;
//creation
triangle = new int[5][];
for (int r = 0; r < 5; r++) {
    triangle[r] = new int[r+1];
}
//filling
for (int r = 0; r < triangle.length; r++) {
    for (int c = 0; c < triangle[r].length; c++) {
        triangle[r][c] = 10*r + c;
    }
}
//printing
for (int r = 0; r < triangle.length; r++) {
    for (int c = 0; c < triangle[r].length; c++) {
        System.out.print(triangle[r][c] + " ");
    }
    System.out.println();
}
```

Aliasing

- `int[] a;` declares a variable that holds a reference to an array
- `int[] b;` ditto
- `a = new int[5];` creates 5 variables and a “points to them”
- `b = a;` makes `b` point to the same 5 variables `a` points to
- `System.out.println(b[1]);`
 - will print 0
- `a[1] = 7;`
`System.out.println(a[1]);`
 - will print 7
- `System.out.println(b[1]);`
 - will print 7

Aliasing

- `int[] a;` declares a variable that holds a reference to an array
- `int[] b;` ditto
- `a = new int[5];` creates 5 variables and `a` “points to them”
- `b = a;` makes `b` point to the same 5 variables `a` points to
- `System.out.println(b[1]);`
 - will print 0
- `a[1] = 7;`
`System.out.println(a[1]);`
 - will print 7
- `System.out.println(b[1]);`
 - will print 7



Aliasing ctd

- assignment **b = a** only copies *reference*
- to copy *content* use loop
- or **b = Arrays.copyOf(a, 5);**

Frequency count

- Suppose we want to count how often each grade (1-10) occurs in a list of 100 grades

```
int[] frequencies = new int[11];
//assert all elts of frequencies are 0

for (int i = 0; i<100; i++) {
    int grade = scanner.nextInt();
    assert 1<=grade && grade<=10;

}
```

Frequency count


- Suppose we want to count how often each grade (1-10) occurs in a list of 100 grades

```
int[] frequencies = new int[11];  
//assert all elts of frequencies are 0  
  
for (int i = 0; i<100; i++) {  
    int grade = scanner.nextInt();  
    assert 1<=grade && grade<=10;  
    frequencies[ grade ] += 1;  
}
```


Array as return type

Calculate frequency of digits in number n

```
int[] digitFreq(int n) {  
    assert n>=0;  
    int[] freqs = new int[10];  
    //assert all elts of freqs are 0;  
  
    int m=n;  
    // special case  
    if (m==0) { freqs[0] += 1; }  
  
    while (m>0) {  
        int d = m % 10;  
        assert 0<=d && d<10;  
        freqs[d] += 1;  
        m /= 10;  
    }  
  
    return freqs;  
}
```



d is last digit of m



last digit is removed from m

More on arrays

- quick initialization:

```
String[] beers = {"Duvel", "Leffe Dubbel", "Hoare Tripel", };
```

- elsewhere:

```
trappists = new String[] { "Orval", "Chimay", "Westmalle", "Rochefort",  
                           "Westvleteren", "Achel", "La Trappe"};
```

Specification

Specification


```
int[] digitFreq(int n)
  assert n >= 0;
  int[] freqs = new int[n+1];
  //assert all elts of freqs are 0;
  ...
```

how do you know this?

- method builder has to assume that method is called correctly:
 - **precondition (requires clause)**
- method caller has to assume that method produces correct result
 - **postcondition (ensures clause)**

Specification

- See method as a *product*
 - developer offers a product
 - programmer uses product
 - delivery contract with rights and duties of parties



Specification example

What are the pre- and postcondition?

```
//pre: n>=0
//post: \result == r && r*r <= n && n < (r+1)*(r+1)
f(int n) {
    int r = 0;
    while (r+1)*(r+1) <= n {
        r +=1;
    }
}
```

pre: $n \geq 0$

*post: $r^2 \leq n < (r+1)^2$
or $r = \lfloor \sqrt{n} \rfloor$ (floor)*

Usage

```
assert n >= 0;
w = f( 10 );
assert w*w <= n && n < (w+1)*(w+1);
```

apply pre- and post to
actual parameters