

Shifting Bottleneck Heuristic for Job Shop

-1-

The Shifting Bottleneck Heuristic

- successful heuristic to solve makespan minimization for job shop
- iterative heuristic
- determines in each iteration the schedule for one additional machine
- uses reoptimization to change already scheduled machines
- can be adapted to more general job shop problems
 - other objective functions
 - workcenters instead of machines
 - set-up times on machines
 - ...

Shifting Bottleneck Heuristic for Job Shop

-2-

Basic Idea

- Notation: M set of all machines
- Given: fixed schedules for a subset $M^0 \subset M$ of machines (i.e. a selection of disjunctive arcs for cliques corresponding to these machines)
- Actions in one iteration:
 - select a machine k which has not been fixed (i.e. a machine from $M \setminus M^0$)
 - determine a schedule (selection) for machine k on the base of the fixed schedules for the machines in M^0
 - reschedule the machines from M^0 based on the other fixed schedules

Shifting Bottleneck Heuristic for Job Shop

-3-

Selection of a machine

- Idea: Choose unscheduled machine which causes the most problems (bottleneck machine)
- Realization:
 - Calculate for each operation on an unscheduled machine the earliest possible starting time and the minimal delay between the end of the operation and the end of the complete schedule based on the fixed schedules on the machines in M^0 and the job orders
 - calculate for each unscheduled machine a schedule respecting these earliest release times and delays
 - choose a machine with maximal completion time and fix the schedule on this machine

Shifting Bottleneck Heuristic for Job Shop

-4-

Technical realization

- Define graph $G' = (N, A')$:
 - N same node set as for the disjunctive graph
 - A' contains all conjunctive arcs and the disjunctive arcs corresponding to the selections on the machines in M^0
- $C_{max}(M^0)$ is the length of a critical path in G'

Shifting Bottleneck Heuristic for Job Shop

-4-

Technical realization

- Define graph $G' = (N, A')$:
 - N same node set as for the disjunctive graph
 - A' contains all conjunctive arcs and the disjunctive arcs corresponding to the selections on the machines in M^0
- $C_{max}(M^0)$ is the length of a critical path in G'

Comments:

- with respect to G' operations on machines from $M \setminus M^0$ may be processed in parallel
- $C_{max}(M^0)$ is the makespan of a corresponding schedule

Shifting Bottleneck Heuristic for Job Shop

-5-

Technical realization (cont.)

- for an operation (i, j) ; $i \in M \setminus M^0$ let
 - r_{ij} be the length of the longest path from 0 to (i, j) (without p_{ij}) in G'
 - q_{ij} be the length of the longest path from (i, j) to $*$ (without p_{ij}) in G'

Comments:

- r_{ij} is the release time of (i, j) w.r.t. G'
- q_{ij} is the tail (minimal time till end) of (i, j) w.r.t. G'

Shifting Bottleneck Heuristic for Job Shop

-6-


Technical realization (cont.)

- For each machine from $M \setminus M^0$ solve the nonpreemptive one-machine head-body-tail problem $1|r_j, d_j < 0|L_{max}$
- Result: values $f(i)$ for all $i \in M \setminus M^0$
- Action:
 - Choose machine k as the machine with the largest $f(i)$ value
 - schedule machine k according to the optimal schedule of the one-machine problem
 - add k to M^0 and the corresponding disjunctive arcs to G'
- $C_{max}(M^0 \cup k) \geq f(k)$

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example

- Given: $M^0 = \{M_3\}$ and on M_3 sequence $(3, 2) \rightarrow (3, 1) \rightarrow (3, 3)$
- Graph G' :



- $C_{max}(M^0) = 13$

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example (cont.)

Machine M_1 :


(i, j)	(1, 1)	(1, 2)	(1, 3)
r_{ij}	12	0	2
q_{ij}	0	10	1
p_{ij}	1	3	4

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example (cont.)

Machine M_1 :

(i, j)	(1, 1)	(1, 2)	(1, 3)
r_{ij}	12	0	2
q_{ij}	0	10	1
p_{ij}	1	3	4




$$f(M_1) = 13$$

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example (cont.)

Machine M_1 :

(i, j)	(1, 1)	(1, 2)	(1, 3)
r_{ij}	12	0	2
q_{ij}	0	10	1
p_{ij}	1	3	4



$$f(M_1) = 13$$

Machine M_2 :


(i, j)	(2, 1)	(2, 3)
r_{ij}	10	0
q_{ij}	1	5
p_{ij}	2	2

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example (cont.)

Machine M_1 :


(i, j)	(1, 1)	(1, 2)	(1, 3)
r_{ij}	12	0	2
q_{ij}	0	10	1
p_{ij}	1	3	4



$$f(M_1) = 13$$

Machine M_2 :

(i, j)	(2, 1)	(2, 3)
r_{ij}	10	0
q_{ij}	1	5
p_{ij}	2	2




$$f(M_2) = 13$$

Shifting Bottleneck Heuristic for Job Shop

Technical realization - Example (cont.)

- Choose machine M_1 as the machine to fix the schedule:
 - add $(1, 2) \rightarrow (1, 3) \rightarrow (1, 1)$ to G'
 - $M^0 = \{M_1, M_3\}$



- $C_{max}(M^0) = 13$

Shifting Bottleneck Heuristic for Job Shop

-10-

Reschedule Machines

- try to reduce the makespan of the schedule for the machines in M^0
- Realization:
 - consider the machines from M^0 one by one
 - remove the schedule of the chosen machine and calculate a new schedule based on the earliest starting times and delays resulting from the other machines of M^0 and the job orders

Shifting Bottleneck Heuristic for Job Shop

-11-

Technical realization rescheduling


For a chosen machine $l \in M^0 \setminus \{k\}$ do:

- remove the arcs corresponding to the selection on machine l from G'
- call new graph G''
- calculate values r_{lj} , q_{lj} in graph G''
- reschedule machine l according to the optimal schedule of the single machine head-body-tail problem

Shifting Bottleneck Heuristic for Job Shop

Technical realization rescheduling - Example

- $M^0 \setminus \{k\} = \{M_3\}$, thus $l = M_3$
- removing arcs corresponding to M_3 leads to graph G'' :




   Conjunctive arcs  Selection M_1

$$C_{max}(G'') = 8;$$

Shifting Bottleneck Heuristic for Job Shop

Technical realization rescheduling - Example

- $M^0 \setminus \{k\} = \{M_3\}$, thus $l = M_3$
- removing arcs corresponding to M_3 leads to graph G'' :



(i, j)	$(3, 1)$	$(3, 2)$	$(3, 3)$
r_{ij}	0	3	7
q_{ij}	3	0	0
p_{ij}	4	3	1


Conjunctive arcs \longrightarrow Selection M_1

$$C_{max}(G'') = 8;$$

Shifting Bottleneck Heuristic for Job Shop


Technical realization rescheduling - Example

- $M^0 \setminus \{k\} = \{M_3\}$, thus $l = M_3$
- removing arcs corresponding to M_3 leads to graph G'' :



$$C_{max}(G'') = 8;$$

(i, j)	$(3, 1)$	$(3, 2)$	$(3, 3)$
r_{ij}	0	3	7
q_{ij}	3	0	0
p_{ij}	4	3	1




$$f(M_3) = 8$$

Shifting Bottleneck Heuristic for Job Shop

Technical realization rescheduling - Example (cont.)

- add $(3, 1) \rightarrow (3, 2) \rightarrow (3, 3)$ to G''
- New graph:



- $C_{max}^{new}(M^0) = 8$

Shifting Bottleneck Heuristic for Job Shop

-14-

Heuristic: summary

1. Initialization:

- (a) $M^0 := \emptyset$;
- (b) $G :=$ graph with all conjunctive arcs;
- (c) $C_{max}(M^0) :=$ length longest path in G :

2. Analyze unscheduled machines:

FOR ALL $i \in M \setminus M^0$ DO

FOR ALL operation (i, j) DO

(a) $r_{ij} :=$ length longest path from 0 to (i, j) in G ;

(b) $q_{ij} :=$ length longest path from (i, j) to $*$ in G ;

solve single machine head body tail problem $\rightarrow f(i)$

Shifting Bottleneck Heuristic for Job Shop

-15-

Heuristic: summary (cont.)

3. Bottleneck selection:

- (a) determine k such that $f(k) = \max_{i \in M \setminus M^0} f(i)$;
- (b) schedule machine k according to the optimal solution in Step 2;
- (c) add corresponding disjunctive arcs to G ;
- (d) $M^0 := M^0 \cup \{k\}$;

Shifting Bottleneck Heuristic for Job Shop

-16-

Heuristic: summary (cont.)

4. Resequencing of machines:

FOR ALL $i \in M^0 \setminus \{k\}$ DO

(a) delete disjunctive arcs corresponding to machine i from G ;

(b) FOR ALL operation (i, j) DO

i. $r_{ij} :=$ length longest path from 0 to (i, j) in G ;

ii. $q_{ij} :=$ length longest path from (i, j) to $*$ in G ;

(c) solve single machine head body tail problem $\rightarrow f(i)$

(d) insert corresponding disjunctive arcs to G ;


5. Stopping condition

IF $M^0 = M$ THEN Stop ELSE go to Step 2;

Shifting Bottleneck Heuristic for Job Shop

SBH - Example (cont.)

- $M^0 = \{M_1, M_3\}$; thus M_2 is bottleneck
- graph G :




- $C_{max}(G) = 8$;

Shifting Bottleneck Heuristic for Job Shop

SBH - Example (cont.)

- $M^0 = \{M_1, M_3\}$; thus M_2 is bottleneck
- graph G :



(i, j)	(2, 1)	(2, 3)
r_{ij}	4	0
q_{ij}	1	5
p_{ij}	2	2


- $C_{max}(G) = 8$;

Shifting Bottleneck Heuristic for Job Shop

SBH - Example (cont.)

- $M^0 = \{M_1, M_3\}$; thus M_2 is bottleneck


- graph G :



Conjunctive arcs \longrightarrow Selection M_1, M_3

- $C_{max}(G) = 8$;

(i, j)	(2, 1)	(2, 3)
r_{ij}	4	0
q_{ij}	1	5
p_{ij}	2	2




$$f(M_2) = 7$$

Shifting Bottleneck Heuristic for Job Shop

SBH - Example (cont.)


- Situation after Step 3: $M^0 = \{M_1, M_2, M_3\}$, $C_{max}(M^0) = 8$
- Graph G :




Shifting Bottleneck Heuristic for Job Shop

SBH - Example (cont.)

- Situation after Step 3: $M^0 = \{M_1, M_2, M_3\}$, $C_{max}(M^0) = 8$
- Graph G :



- Corresponding Schedule:



Shifting Bottleneck Heuristic for Job Shop

-19-

An Important Subproblem

- within the SBH the one-machine head-body-tail problem occurs frequently:
- this problem was also used within branch and bound to calculate lower bounds
- the problem is NP-hard (see Lecture 3)
- there are efficient branch and bound methods for smaller instances (see also Lecture 3)
- the actual one-machine problem is a bit more complicated than stated in Lecture 3 (see following example)


Shifting Bottleneck Heuristic for Job Shop

Example Delayed Precedences

- Jobs:
- $(1, 1) \rightarrow (2, 1)$
 - $(2, 2) \rightarrow (1, 2)$
 - $(3, 3)$
 - $(3, 4)$

Processing Times: $p_{11} = 1, p_{21} = 1$
 $p_{22} = 1, p_{12} = 1$
 $p_{33} = 4$
 $p_{34} = 4$

Initial graph G :




Shifting Bottleneck Heuristic for Job Shop

-21-

Example Delayed Precedences (cont.)

- after 2 iterations SBH we get:
 $M^0 = \{M_3, M_1\}; (3, 4) \rightarrow (3, 3)$ and $(1, 2) \rightarrow (1, 1)$
- Resulting graph $G: (C_{max}(M^0) = 8)$





Shifting Bottleneck Heuristic for Job Shop

Example Delayed Precedences (cont.)

- 3. iteration: only M_2 unscheduled

(i, j)	p_{ij}	r_{ij}	q_{ij}
$(2, 1)$	1	3	0
$(2, 2)$	1	0	3


- Possible schedules for M_2 :



Shifting Bottleneck Heuristic for Job Shop

Example Delayed Precedences (cont.)

- Both schedules are feasible and might be added to current solution
- But: second schedule leads to



which contains a cycle

Delayed Precedences

- The example shows:
 - not all solutions of the one-machine problem fit to the given selections for machines from M^0
 - the given selections for machines from M^0 may induce precedences for machines from $M \setminus M^0$
- Example:
 - scheduling operation $(1, 2)$ before $(1, 1)$ on M_1 induces a delayed precedence constraint between $(2, 2)$ and $(2, 1)$ of length 3
 - \rightarrow operation $(2, 1)$ has to start at least 3 time units after $(2, 2)$
 - this time is needed to process operations $(2, 2)$, $(1, 2)$, and $(1, 1)$

Rescheduling Machines

- after adding a new machine to M^0 , it may be worth to put more effort in rescheduling the machines:
 - do the rescheduling in some specific order (e.g. based on their 'head-body-tail' values)
 - repeat the rescheduling process until no improvement is found
 - after rescheduling one machine, make a choice which machine to reschedule next (allowing that certain machines are rescheduled more often)
 - ...
- practical tests have shown that these extra efforts often pay off